Fujitsu Mobile Devices
Notebooks

If you need reliable mobile devices for your organization, the broad Fujitsu LIFEBOOK portfolio offers a range of entry-level and more powerful, individual solutions. Extensive configuration options provide ultimate flexibility and convenience, and innovative energy-saving technology reduces the environmental footprint of your notebooks. Moreover, every Fujitsu LIFEBOOK delivers highest reliability, driven by a unique combination of German precision engineering and Japanese quality, supported by 30 years of experience.



Superior Tablet PC LIFEBOOK

Fujitsu	LIFEBOOK T901
	Your Excellent Flexible Companion
Operating system*	Genuine Windows® 7 Professional 64-bit Genuine Windows® 7 Home Premium 64-bit
Chipset	Intel® QM67
Processor type, Second level cache, Processor frequency	Intel® Core™ i7-2640M processor, 4 MB, 2.8 GHz Intel® Core™ i5-2520M processor, 3 MB, 2.5 GHz Intel® Core™ i5-2430M processor, 3 MB, 2.4 GHz Intel® Core™ i3-2330M processor, 3 MB, 2.2 GHz
Memory	Up to 8 GB, 2 DIMM (DDR3) slot(s)
Hard disk drive	SSD SATA, 128 GB, 2.5-inch SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T. SATA, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 7200 rpm, 160 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 250 GB, 2.5-inch, S.M.A.R.T. SSD SATA III, 128 GB, 2.5-inch FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
Interfaces	1 x Memory card slot; 1 x ExpressCard slot (34 mm and 54 mm supported); 1 x SmartCard slot; 1 x SIM card slot (usable only with 3G/UMTS); 1 x Modem (RJ-11) (optional; exclusive with 3G/UMTS); 2 x USB 2.0 (1 with Anytime USB Charge functionality); 1 x USB 3.0; 1 x FireWire (IEEE1394); 1 x VGA; 1 x HDMI; 1 x Ethernet (RJ-45); 1 x DC-in; 1 x Audio: line-in / microphone; 2 x Internal microphones; 1 x Audio: line-out / headphone; 1 x Docking connector for Port Replicator; 1 x Kensington Lock support
Display	33.8 cm (13.3-inch), TFT, (WXGA), Anti-glare touchscreen, 1280 x 800 pixel, 500:1, 300 cd/m 33.8 cm (13.3-inch), TFT, (WXGA), Anti-glare Berliner Glass shield, 1280 x 800 pixel, 500:1, 300 cd/m
Graphics brand name	Intel® HD Graphics 3000
Webcam	Optional: Built-in webcam, 2.0 megapixel
Weight	From 2.04 kg – incl. weight saver; Weight may vary depending on actual configuration.
Dimensions (W x D x H)	319 x 244 x 36 mm (without foot)
Runtime battery (1st / +2nd)	Up to 9 h / up to 14 h
Battery notes	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.
Audio features	2 x digital array microphones, 2 x built-in speakers (stereo)
Embedded 3G/UMTS optional	Sierra Wireless Gobi 3000
Integrated WLAN optional	Atheros Minicard b/g/n Intel® Centrino® 6205 802.11 a/b/g/n
Antennas	2 x dual band for WLAN, 2 x for UMTS (bundeled to UMTS module), 1 x for Bluetooth® (on Bluetooth® module)
LAN	Built-in 10/100/1000 Mbit/s Intel® 82579 LM
Modem optional	Optional: 56 K V.92 modem MDC1.5
Bluetooth® optional	Bluetooth® 3.0
Modular drive options	2nd battery DVD Super Multi Blu-ray Disc™ Triple Writer Weight saver
Special features	Advanced Theft Protection (ATP), Multiple Touch, Bi-directional rotatable display, Ambient light sensor
**Country-specific Standard Warranty and Service Level ** **	2 years Collect & Return Service / Bring-in Service

Advanced Tablet PCs STYLISTC

Fujitsu recommends Windows® 7.

Fujitsu	STYLISTIC Q550
	Your Professional Companion
Operating system*	Genuine Windows® 7 Professional 32-bit Genuine Windows® 7 Home Premium 32-bit
Chipset	Intel® SM35 Express
Processor type, Second level cache, Processor frequency	Intel® Atom™ processor Z690 (1.7 GHz), 512 KB Intel® Atom™ processor Z670 (1.5 GHz), 512 KB
Hard disk drive	SSD SATA, 62 GB, 2.5-inch SSD SATA, 30 GB, 2.5-inch
Interfaces	1 x Memory card slot (SD/SDHC) 1 x SmartCard slot 1 x SIM card slot 1 x USB 2.0 1 x HDMI 1 x DC-in 2 x Internal microphones (including beamforming) 1 x Audio: line-out / headphone 1 x Docking connector for Port Replicator
Display	25.7 cm (10.1-inch), IPS (In-plane switching), (WXGA), Anti-glare touchscreen, 1280 x 800 pixel, 500:1, 400 cd/m
Viewing angle (h/v) – typical	160°/160°
Graphics brand name	Intel® GMA 600
Webcam	Built-in webcams, VGA front camera plus 1.3 megapixel rear camera
Weight	From 0.750 kg (with 2-cell battery), from 0.860 kg (with 4-cell battery) – Actual weight may vary depending on configuration
Dimensions (W x D x H)	275 x 192 x 16.2 mm
Runtime battery	Up to 9 h with 4-cell battery, up to 4.5 h with 2-cell battery
Battery notes	As option to the built-in 4-cell battery its possible to order an additional 1st battery. Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.
Audio features	Mono speaker, 2 x internal microphones
Embedded 3G/UMTS optional	Sierra Wireless Gobi 3000 with GPS functionality GPS module
Antennas	1 x dual band for WLAN, 2 x for UMTS (bundled to UMTS module), 1 x for GPS (bundled to GPS module), 1 x for Bluetooth® (on Bluetooth® module)
Integrated WLAN	Ralink RT3572 802.11 a/b/g/n, Wi-Fi certified
Bluetooth	Bluetooth® 3.0
Special features	Advanced Theft Protection (ATP), TPM, Embedded mobile broadband access, Integrated fingerprint sensor, Multiple Touch
**Country-specific Standard Warranty and Service Level ** **	2 years Collect & Return Service / Bring-in Service

Advanced Tablet PCs
LIFEBOOK

Fujitsu recommends Windows® 7.

Fujitsu	LIFEBOOK T731	LIFEBOOK T580
	The Mobile Office on the Go	Small in Size, Great in Style
Operating system*	Genuine Windows® 7 Professional 64-bit Genuine Windows® 7 Home Premium 64-bit	Genuine Windows® 7 Professional 64-bit Genuine Windows® 7 Home Premium 64-bit
Chipset	Intel® QM67	Intel® HM55
Processor type, Second level cache, Processor frequency	Intel® Core™ i7-2640M processor, 4 MB, 2.8 GHz Intel® Core™ i5-2520M processor, 3 MB, 2.5 GHz Intel® Core™ i5-2430M processor, 3 MB, 2.4 GHz Intel® Core™ i3-2330M processor, 3 MB, 2.2 GHz	Intel® Core™ i5-560UM (ULV) processor (1.33 GHz), 3 MB, 800 MHz Intel® Core™ i3-380UM (ULV)* processor (1.33 GHz), 3 MB, 800 MHz
Memory	Up to 8 GB, 2 DIMM (DDR3) slot(s)	Up to 8 GB, 2 SO DIMM (DDR3, 800 MHz) slot(s)
Hard disk drive	SSD SATA, 128 GB, 2.5-inch SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T. SATA, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 7200 rpm, 160 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 250 GB, 2.5-inch, S.M.A.R.T. SSD SATA III, 128 GB, 2.5-inch FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.	SSD SATA, 128 GB, 2.5-inch SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
Interfaces	1 x Memory card slot; 1 x ExpressCard slot (54 mm supported); 1 x SIM card slot (usable only with 3G/UMTS); 2 x USB 2.0; 1 x USB 3.0 (with Anytime USB Charge functionality); 1 x FireWire (IEEE1394); 1 x VGA; 1 x HDMI; 1 x Ethernet (RJ-45); 1 x DC-in; 1 x Audio: line-in / microphone; 2 x Internal microphones; 1 x Audio: line-out / headphone; 1 x Docking connector for Port Replicator; 1 x Kensington Lock support	1 x Memory card slot; 1 x SmartCard slot; 1 x SIM card slot (usable only with 3G/UMTS) 2 x USB 2.0; 1 x VGA; 1 x HDMI; 1 x Ethernet (RJ-45); 1 x DC-in; 1 x Audio: line-in / microphone; 1 x Internal microphones; 1 x Audio: line-out / headphone; 1 x Kensington Lock support
Display	30.7 cm (12.1-inch), TFT dual digitizer, (WXGA), Anti-glare touchscreen, magnesium, 1280 x 800 pixel, 500:1, 300 cd/m 30.7 cm (12.1-inch), TFT dual digitizer, (WXGA), Anti-glare touchscreen, magnesium, 1280 x 800 pixel, 600:1, 200 cd/m	25.7 cm (10.1-inch), TFT dual digitizer, (HD), LED backlight touchscreen, 1366 x 768 pixel, 200 cd/m
Graphics brand name	Intel® HD Graphics 3000	Intel® HD Graphics
Webcam	Optional: Built-in webcam, 2.0 megapixel	Optional: Built-in webcam, 1.3 megapixel
Weight	From 1.8 kg – incl. weight saver; Weight may vary depending on actual configuration.	From 1.4 kg – Actual weight may vary depending on configuration
Dimensions (W x D x H)	297 x 233 x 39 mm (incl. foot)	270 x 189 x 39.7 mm (incl. foot)
Runtime battery	Up to 10:40 h / up to 16:50 h	Up to 9:30 h
Battery notes	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.
Audio features	2 x digital array microphones, 2 x built-in speakers (stereo)	Mono speaker, Internal microphone
Embedded 3G/UMTS optional	Sierra Wireless Gobi 3000	Sierra Wireless Gobi 2000
Integrated WLAN optional	Atheros Minicard b/g/n Intel® Centrino® 6205 802.11 a/b/g/n	Intel® Centrino® 6200 802.11 a/b/g/n Atheros Minicard b/g/n
Antennas	2 x dual band for WLAN, 2 x for UMTS (bundled to UMTS module), 1 x for Bluetooth® (on Bluetooth® module)	2 dual band WLAN antennas, 2 UMTS antennas, 1 Bluetooth® antenna
LAN	Built-in 10/100/1000 Mbit/s Intel® 82579 LM	Gigabit Ethernet (10/100/1000 Mbit/s) Realtek RTL 8111E
Bluetooth® optional	Bluetooth® 3.0	Bluetooth® 2.1
Modular drive options	2nd battery DVD Super Multi Blu-ray Disc™ Triple Writer Weight saver	-
Special features	Advanced Theft Protection (ATP), Bi-directional rotatable display, Multiple Touch, Magnesium lid	Advanced Theft Protection (ATP), Bi-directional rotatable display, Multiple Touch
Country-specific Standard Warranty and Service Level ****	2 years Collect & Return Service / Bring-in Service	2 years Collect & Return Service / Bring-in Service

* Processor only for retail, SMB, education and government.

Superior Mobile Workstations CELSIUS

Fujitsu recommends Windows® 7.

Fujitsu	CELSIUS H910
	High-end workstation power on-the-go
Operating system*	Genuine Windows® 7 Professional 64-bit
Chipset	Intel® QM67
Processor type, Second level cache, Processor frequency	Intel® Core™ i7-2640M processor, 2.8 GHz, 4 MB Intel® Core™ i7-2620M processor, 2.7 GHz, 4 MB Intel® Core™ i5-2540M processor, 2.6 GHz, 3 MB Intel® Core™ i5-2520M processor, 2.5 GHz, 3 MB Intel® Core™ i7-2960XM processor, 2.7 GHz, 8 MB Intel® Core™ i7-2920XM processor, 2.5 GHz, 8 MB Intel® Core™ i7-2860QM processor,2.5 GHz, 8 MB Intel® Core™ i7-2760QM processor, 2.4 GHz, 6 MB Intel® Core™ i7-2820QM processor, 2.3 GHz, 8 MB Intel® Core™ i7-2720QM processor, 2.2 GHz, 6 MB
Memory	DualCore CPU up to 32 GB (DDR3), 4 DIMM slots / DualCore CPU up to 16 GB (DDR3), 2 DIMM slots
Hard disk drive	2 x SSD SATA, 512 GB, 2.5-inch, full disk encryption 2 x HDD SATA, 7200 rpm, 750 GB, 2.5-inch, S.M.A.R.T. 2 x HDD SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T. 1 x SSD SATA III, 128 GB / 1 x HDD SATA, 7200 rpm 500 GB 1 x SSD SATA, 128 GB / 1 x HDD SATA, 7200 rpm 500 GB 1 x SSD SATA, 20 GB / 1 x HDD SATA, 7200 rpm 500 GB (Intel® Smart Response Technology) SSD SATA 512 GB, 2.5-inch, full disk encryption SSD SATA, 256 GB, 2.5-inch, full disk encryption SSD SATA III, 128 GB, 2.5-inch SSD SATA, 128 GB, 2.5-inch, full disk encryption HDD SATA, 7200 rpm, 750 GB, 2.5-inch, S.M.A.R.T. HDD SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T. HDD SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T., full disk encryption HDD SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. HDD SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T., XP optimized
Interfaces	1 x Audio: in 1 x Audio: out 1 x microphone 1 x DC-in 3 x USB 2.0 1 x USB 3.0 1 x DisplayPort 1 x VGA 1 x Ethernet (RJ-45) 1 x Kensington Lock support 1 (SD/MS/MSPro) x Memory card slot 1 x SmartCard slot 1 x SIM card slot 1 x ExpressCard slot 1 x eSATA
Display	43.9 cm (17.3-inch), LED backlight, (Full HD), Anti-glare display, magnesium, 1920 x 1080 pixel
Graphics brand name	NVIDIA® Quadro® 3000M, NVIDIA® Quadro® 4000M, NVIDIA® Quadro® 5010M
Graphics features	DualView
Dedicated video memory	2 GB (GDDR3 VRAM), 4 GB (NVIDIA® Quadro® 5010M)
Webcam	Optional: Built-in webcam, 2.0 megapixel, VGA camera
Weight	4.25 kg
Dimensions (W x D x H)	417 x 287 x 33 / 44 mm
Runtime battery	Up to 3 h
Battery notes	Battery life may vary depending on product model, configuration, application, power management settings and features utilized. Battery recharge time depends on usage.

Audio codec	Realtek ALC269
Audio features	Stereo speakers, internal microphone
Embedded 3G/UMTS optional	Sierra Wireless Gobi 3000
Integrated WLAN optional	Atheros Minicard b/g/n Intel® Centrino® 6205 802.11 a/b/g/n
Antennas	2 dual band WLAN antennas, 2 UMTS antennas
LAN	10/100/1000 Mbit/s Intel® 82579 LM
Bluetooth® optional	Bluetooth® 3.0
Special features	Intel® Core™ Quad Extreme Edition processor, NVIDIA® Quadro® workstation graphics, Embedded mobile broadband access (3G/UMTS), Integrated fingerprint sensor, Modular bay, ShockSensor, SmartCard reader, TPM
Country-specific Standard Warranty and Service Level ****	3 years Collect & Return Service / Bring-in Service

Superior Mobile Workstations CELSIUS

Fujitsu recommends Windows® 7.

Fujitsu	CELSIUS H710
	Workstation power on-the-go
Operating system*	Genuine Windows® 7 Professional 64-bit
Chipset	Intel® QM67
Processor type, Second level cache, Processor frequency	Intel® Core™ i7-2640M processor, 4 MB, 2.8 GHz Intel® Core™ i7-2620M processor, 4 MB, 2.7 GHz Intel® Core™ i5-2540M processor, 3 MB, 2.6 GHz Intel® Core™ i5-2520M processor, 3 MB, 2.5 GHz Intel® Core™ i7-2860QM processor, 8 MB, 2.5 GHz Intel® Core™ i7-2760QM processor, 6 MB, 2.4 GHz Intel® Core™ i7-2820QM processor, 8 MB, 2.3 GHz Intel® Core™ i7-2720QM processor, 6 MB, 2.2 GHz
Memory	Up to 16 GB, 2 DIMM (DDR3) slot(s)
Hard disk drive	SSD SATA, 512 GB, 2.5-inch, full disk encryption SSD SATA, 256 GB, 2.5-inch, full disk encryption SSD SATA, 128 GB, 2.5-inch, full disk encryption SSD SATA III, 128 GB Highspeed HDD SATA, 7200 rpm, 750 GB, 2.5-inch, S.M.A.R.T. HDD SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T. HDD SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T., XP optimized HDD SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. HDD SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T., full disk encryption
Interfaces	1 (SD/MS/MSPro) x Memory card slot 1 x ExpressCard slot 1 x PC Card slot (Type I/II) 1 x SmartCard slot 1 x SIM card slot 1 x eSATA 3 x USB 2.0 total 1 x USB 3.0 total 1 x VGA 1 x DisplayPort 1 x Ethernet (RJ-45) 1 x DC-in 2 digital array microphones x Internal microphones 1 x Docking connector for Port Replicator 2 x Kensington Lock support
Display	39.6 cm (15.6-inch), LED backlight, (HD+), Anti-glare display, magnesium, 1600 x 900 pixel, 300:1, 220 cd/m 39.6 cm (15.6-inch), LED backlight, (Full HD), Anti-glare display, magnesium, 1920 x 1080 pixel
Graphics brand name	NVIDIA® Quadro® 1000M
Graphics features	DualView
Dedicated video memory	2 GB (GDDR3 VRAM)
Webcam	Optional: Built-in webcam, 2.0 megapixel, VGA camera
Weight	2.75 kg – Actual weight may vary depending on configuration
Dimensions (W x D x H)	372 x 255 x 36 mm
Runtime battery	Up to 5.5 h / up to 8 h with 2nd battery
Runtime battery	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.
Audio codec	Realtek ALC269
Audio features	Stereo speakers, Internal microphone
Embedded 3G/UMTS optional	Sierra Wireless Gobi 3000
Integrated WLAN optional	Atheros Minicard b/g/n Intel® Centrino® 6205 802.11 a/b/g/n
Antennas	2 dual band WLAN antennas, 2 UMTS antennas
LAN	10/100/1000 Mbit/s Intel® 82579 LM
Bluetooth® optional	Bluetooth® 2.1
Modular bay options	DVD Super Multi Blu-ray Disc™ Triple Writer Weight saver 2nd hard disk drive 2nd battery
Special features	Intel® Core™ Quad processor, NVIDIA® Quadro® workstation graphics, Embedded mobile broadband access (3G/UMTS), Integrated fingerprint sensor, Modular bay, ShockSensor, SmartCard reader, TPM
Country-specific Standard Warranty and Service Level **	3 years Collect & Return Service / Bring-in Service

Superior Notebooks
LIFEBOOK

Fujitsu recommends Windows® 7.

Fujitsu	LIFEBOOK S761
	Boundless Mobility on the Road
Operating system*	Genuine Windows® 7 Professional 64-bit Genuine Windows® 7 Home Premium 64-bit Genuine Windows® 7 Home Basic (EM) 64-bit
Chipset	Intel® QM67 Intel® HM65
Processor type, Second level cache, Processor frequency	Intel® Core™ i7-2640M processor, 4 MB, 2.8 GHz Intel® Core™ i5-2540M processor, 3 MB, 2.6 GHz Intel® Core™ i5-2520M processor, 3 MB, 2.5 GHz Intel® Core™ i5-2430M processor, 3 MB, 2.4 GHz Intel® Core™ i3-2330M processor, 3 MB, 2.2 GHz Intel® Celeron® processor B810, 2 MB, 1.6 GHz
Memory	Up to 8 GB, 2 DIMM (DDR3) slot(s)
Hard disk drive	SSD SATA, 128 GB, 2.5-inch SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T. SATA, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 7200 rpm, 160 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 250 GB, 2.5-inch, S.M.A.R.T. SSD SATA III, 128 GB, 2.5-inch FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
Interfaces	1 x Memory card slot (SD) 1 x ExpressCard slot (34 mm and 54 mm supported) 1 x SIM card slot (usable only with 3G/UMTS) 1 x Modem (RJ-11) (optional) 2 x USB 2.0 (1 x with Anytime USB Charge functionality) 1 x USB 3.0 (optional; additional USB 2.0 if not selected) 1 x VGA 1 x HDMI 1 x Ethernet (RJ-45) 1 x DC-in 1 x Audio: line-in / microphone 1 x Internal microphones (digital) 1 x Audio: line-out / headphone 1 x Docking connector for Port Replicator 1 x Kensington Lock support
Display	33.8 cm (13.3-inch), LED backlight, (HD), Anti-glare display, compound, 1366 x 768 pixel, 300:1, 200 cd/m 33.8 cm (13.3-inch), LED backlight, (HD), Anti-glare display, magnesium, 1366 x 768 pixel, 300:1, 200 cd/m
Graphics brand name	Intel® HD Graphics or HD Graphics 3000 (depending on CPU)
Webcam	Optional: Built-in webcam, 1.3 megapixel
Weight	1.6 - 1.8 kg (depending on display) – incl. weight saver; Weight may vary depending on actual configuration.
Dimensions (W x D x H)	321 x 228 x 27.1 - 35.5 mm (depending on display)
Runtime battery (1st / +2nd)	Up to 11:30 h / up to 16:30 h
Battery notes	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.
Audio features	Stereo speakers, 1 x built-in microphone
Embedded 3G/UMTS optional	Sierra Wireless Gobi 3000
Integrated WLAN optional	Atheros Minicard b/g/n Intel® Centrino® 6205 802.11 a/b/g/n
Antennas	2 dual band WLAN antennas, 2 UMTS antennas (optional), 1 Bluetooth® antenna
LAN	Built-in 10/100/1000 Mbit/s Intel® 82579 LM Built-in 10/100/1000 Mbit/s Intel® 82579 V
Modem optional	Optional: 56 K V.92 modem MDC1.5
Bluetooth® optional	Bluetooth® 3.0
Modular bay options	DVD Super Multi Blu-ray Disc™ Triple Writer Weight saver 2nd battery Bay Projector
Special features	Advanced Theft Protection (ATP), Embedded mobile broadband access (3G/UMTS), Magnesium lid, Modular bay
Country-specific Standard Warranty and Service Level **	2 years Collect & Return Service / Bring-in Service

Superior Notebooks LIFEBOOK

Fujitsu recommends Windows® 7.

Fujitsu	LIFEBOOK P771
	The Slim Companion to Go
Operating system*	Genuine Windows® 7 Professional 64-bit Genuine Windows® 7 Home Premium 64-bit Genuine Windows® 7 Home Basic (EM) 64-bit
Chipset	Intel® QM67
Processor type, Second level cache, Processor frequency	Intel® Core™ i7-2617M processor 4 MB, 1.5 GHz Intel® Core™ i5-2520M processor, 3 MB, 2.5 GHz
Memory	Up to 8 GB, 2 DIMM (DDR3) slot(s)
Hard disk drive	SSD SATA, 128 GB, 2.5-inch SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T. SATA, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 7200 rpm, 160 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 250 GB, 2.5-inch, S.M.A.R.T. SSD SATA III, 128 GB, 2.5-inch FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
Interfaces	1 x Memory card slot (SD) 1 x ExpressCard slot (34 mm and 54 mm supported) 1 x SIM card slot (usable only with 3G/UMTS) 1 x USB 2.0 2 x USB 3.0 (1 x with Anytime USB Charge functionality) 1 x VGA 1 x HDMI 1 x Ethernet (RJ-45) 1 x DC-in 1 x Audio: line-in / microphone 1 x Internal microphones (digital) 1 x Audio: line-out / headphone 1 x Docking connector for Port Replicator 1 x Kensington Lock support
Display	30.7 cm (12.1-inch), TFT, (WXGA), LED anti-glare display, 1280 x 800 pixel
Graphics brand name	Intel® HD Graphics or HD Graphics 3000 (depending on CPU)
Webcam	Optional: Built-in webcam, 2.0 megapixel Optional: Built-in webcam, 1.3 megapixel
Weight	1.3 kg – incl. weight saver; Weight may vary depending on actual configuration. 1.5 kg – Incl. weight saver. Weight may vary depending on actual configuration.
Dimensions (W x D x H)	282 x 215 x 29.9 mm 283 x 215 x 32.5 mm
Runtime battery (1st / +2nd)	Up to 13 h / up to 18 h Up to 10 h / up to 15 h
Battery notes	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.
Audio features	Stereo speakers, 1 x built-in microphone
Embedded 3G/UMTS optional	Sierra Wireless Gobi 3000
Integrated WLAN optional	Atheros Minicard b/g/n Intel® Centrino® 6205 802.11 a/b/g/n
Antennas	2 dual band WLAN antennas, 2 UMTS antennas, 1 Bluetooth® antenna
LAN	Built-in 10/100/1000 Mbit/s Intel® 82579 LM
Bluetooth® optional	Bluetooth® 3.0

Modular bay options	DVD Super Multi Weight saver 2nd battery Bay Projector
Special features	Advanced Theft Protection (ATP), Energy efficient components, Integrated fingerprint sensor, SSD optional, Modular bay
**Country-specific Standard Warranty and Service Level ** **	2 years Collect & Return Service / Bring-in Service

Advanced Notebooks
LIFEBOOK

Fujitsu recommends Windows® 7.

Fujitsu	LIFEBOOK E781
	The Solid Companion for Demanding Work
Operating system*	Genuine Windows® 7 Professional 64-bit Genuine Windows® 7 Home Premium 64-bit Genuine Windows® 7 Home Basic (EM) 64-bit
Chipset	Intel® QM67
Processor type, Second level cache, Processor frequency	Intel® Core™ i7-2640M processor, 4 MB, 2.8 GHz Intel® Core™ i5-2540M processor, 3 MB, 2.6 GHz Intel® Core™ i5-2520M processor, 3 MB, 2.5 GHz Intel® Core™ i5-2430M processor, 3 MB, 2.4 GHz Intel® Core™ i3-2330M processor, 3 MB, 2.2 GHz
Memory	Up to 8 GB, 2 DIMM (DDR3) slot(s), DDR3 – 1333 MHz
Hard disk drive	SSD SATA, 128 GB, 2.5-inch SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T. SATA, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 7200 rpm, 160 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 250 GB, 2.5-inch, S.M.A.R.T. SSD SATA III, 128 GB, 2.5-inch FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
Interfaces	1 x Memory card slot (SD/MS/MSPro) 1 x ExpressCard slot (34 mm and 54 mm supported) 1 x SmartCard slot 1 x SIM card slot (usable only with 3G/UMTS) 1 x Modem (RJ-11) (optional) 3 x USB 2.0 (1 x with Anytime USB Charge functionality) 1 x USB 3.0 1 x eSATA & USB combo 1 x VGA 1 x DisplayPort 1 x Serial port 1 x Ethernet (RJ-45) 1 x DC-in 1 x Audio: line-in / microphone 1 x Audio: line-out / headphone 1 x Docking connector for Port Replicator 1 x Kensington Lock support
Display	39.6 cm (15.6-inch), LED backlight, (HD), Anti-glare display, magnesium, 1366 x 768 pixel, 300:1, 220 cd/m 39.6 cm (15.6-inch), LED backlight, (HD+), Anti-glare display, magnesium, 1600 x 900 pixel, 300:1, 220 cd/m 39.6 cm (15.6-inch), LED backlight, (Full HD), Anti-glare display, magnesium, 1920 x 1080 pixel, 300:1, 220 cd/m
Graphics brand name	Intel® HD Graphics or HD Graphics 3000 (depending on CPU)
Webcam	Optional: Built-in webcam, 2.0 megapixel
Weight	2.35 kg – incl. weight saver; Weight may vary depending on actual configuration.
Dimensions (W x D x H)	372 x 245 x 35 mm
Runtime battery (1st / +2nd)	Up to 10 h / up to 17 h
Battery notes	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.
Audio features	Stereo speakers
Embedded 3G/UMTS optional	Sierra Wireless Gobi 3000
Integrated WLAN optional	Atheros Minicard b/g/n Intel® Centrino® 6205 802.11 a/b/g/n
Antennas	2 dual band antennas; 1 Bluetooth® antenna optional, 2 UMTS antennas optional
LAN	Built-in 10/100/1000 Mbit/s Intel® 82579 LM
Modem optional	Optional: 56 K V.92 modem MDC1.5
Bluetooth® optional	Bluetooth® 3.0
Modular bay options	DVD Super Multi Blu-ray Disc™ Triple Writer Weight saver 2nd battery
Special features	Advanced Theft Protection (ATP), Modular bay, Family concept (AC adapter, port replicator, modular bay)
Country-specific Standard Warranty and Service Level **	2 years Collect & Return Service / Bring-in Service

Advanced Notebooks
LIFEBOOK

Fujitsu recommends Windows® 7.

Fujitsu	LIFEBOOK E751
	The Mobile Top Performer
Operating system*	Genuine Windows® 7 Professional 64-bit Genuine Windows® 7 Home Premium 64-bit Genuine Windows® 7 Home Basic (EM) 64-bit
Chipset	Intel® HM65 Intel® QM67
Processor type, Second level cache, Processor frequency	Intel® Core™ i7-2640M processor, 4 MB, 2.8 GHz Intel® Core™ i5-2540M processor, 3 MB, 2.6 GHz Intel® Core™ i5-2520M processor, 3 MB, 2.5 GHz Intel® Core™ i5-2430M processor, 3 MB, 2.4 GHz Intel® Core™ i3-2330M processor, 3 MB, 2.2 GHz Intel® Celeron® processor B810, 2 MB, 1.6 GHz
Memory	Up to 8 GB, 2 DIMM (DDR3) slot(s), DDR3 – 1333 MHz
Hard disk drive	SSD SATA, 128 GB, 2.5-inch SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T. SATA, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 7200 rpm, 160 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 250 GB, 2.5-inch, S.M.A.R.T. SSD SATA III, 128 GB, 2.5-inch FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
Interfaces	1 x Memory card slot (SD/MS/MSPro) 1 x ExpressCard slot (34 mm and 54 mm supported) 1 x SmartCard slot 1 x SIM card slot (usable only with 3G/UMTS) 1 x Modem (RJ-11) (optional) 3 x USB 2.0 (1 x with Anytime USB Charge functionality) 1 x USB 3.0 (optional; additional USB 2.0 if not selected) 1 x eSATA & USB combo 1 x VGA 1 x DisplayPort 1 x Serial port 1 x Ethernet (RJ-45) 1 x DC-in 1 x Audio: line-in / microphone 1 x Audio: line-out / headphone 1 x Docking connector for Port Replicator 1 x Kensington Lock support
Display	39.6 cm (15.6-inch), LED backlight, (HD), Anti-glare display, compound, 1366 x 768 pixel, 300:1, 220 cd/m 39.6 cm (15.6-inch), LED backlight, (HD+), Anti-glare display, compound, 1600 x 900 pixel, 300:1, 220 cd/m
Graphics brand name	Intel® HD Graphics or HD Graphics 3000 (depending on CPU)
Webcam	Optional: Built-in webcam, 1.3 megapixel
Weight	2.5 kg – incl. weight saver; Weight may vary depending on actual configuration.
Dimensions (W x D x H)	372 x 245 x 35 mm
Runtime battery (1st / +2nd)	Up to 10 h / up to 17 h
Battery notes	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.
Audio features	Stereo speakers
Embedded 3G/UMTS optional	Sierra Wireless Gobi 3000
Integrated WLAN optional	Atheros Minicard b/g/n Intel® Centrino® 6205 802.11 a/b/g/n
Antennas	2 dual band antennas; 1 Bluetooth® antenna optional, 2 UMTS antennas optional
LAN	Built-in 10/100/1000 Mbit/s Intel® 82579 V Built-in 10/100/1000 Mbit/s Intel® 82579 LM
Modem optional	Optional: 56 K V.92 modem MDC1.5
Bluetooth® optional	Bluetooth® 3.0
Modular bay options	DVD Super Multi Blu-ray Disc™ Triple Writer Weight saver 2nd battery
Special features	Advanced Theft Protection (ATP), Application buttons, Family concept (AC adapter, port replicator, modular bay)
Country-specific Standard Warranty and Service Level **	1 year Collect & Return Service / Bring-in Service

Advanced Notebooks
LIFEBOOK

Fujitsu recommends Windows® 7.

Fujitsu	LIFEBOOK S781
	Your Reliable Companion for Flexible Working
Operating system*	Genuine Windows® 7 Professional 64-bit Genuine Windows® 7 Home Premium 64-bit Genuine Windows® 7 Home Basic (EM) 64-bit
Chipset	Intel® QM67
Processor type, Second level cache, Processor frequency	Intel® Core™ i7-2640M processor, 4 MB, 2.8 GHz Intel® Core™ i5-2540M processor, 3 MB, 2.6 GHz Intel® Core™ i5-2520M processor, 3 MB, 2.5 GHz Intel® Core™ i5-2430M processor, 3 MB, 2.4 GHz Intel® Core™ i3-2330M processor, 3 MB, 2.2 GHz
Memory	Up to 8 GB, 2 DIMM (DDR3) slot(s), DDR3 – 1333 MHz
Hard disk drive	SSD SATA, 128 GB, 2.5-inch SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T. SATA, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 7200 rpm, 160 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 250 GB, 2.5-inch, S.M.A.R.T. SSD SATA III, 128 GB, 2.5-inch FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
Interfaces	1 x Memory card slot (SD/MS/MSPro) 1 x ExpressCard slot (34 mm and 54 mm supported) 1 x SmartCard slot 1 x SIM card slot (usable only with 3G/UMTS) 1 x Modem (RJ-11) (optional) 3 x USB 2.0 (1 x with Anytime USB Charge functionality) 1 x USB 3.0 1 x eSATA & USB combo 1 x VGA 1 x DisplayPort 1 x Ethernet (RJ-45) 1 x DC-in 1 x Audio: line-in / microphone 1 x Audio: line-out / headphone 1 x Docking connector for Port Replicator 1 x Kensington Lock support
Display	35.6 cm (14-inch), LED backlight, (HD), Anti-glare display, magnesium, 1366 x 768 pixel, 300:1, 220 cd/m 35.6 cm (14-inch), LED backlight, (HD+), Anti-glare display, magnesium, 1600 x 900 pixel, 300:1, 220 cd/m
Graphics brand name	Intel® HD Graphics or HD Graphics 3000 (depending on CPU)
Webcam	Optional: Built-in webcam, 2.0 megapixel
Weight	2.15 kg – incl. weight saver; Weight may vary depending on actual configuration.
Dimensions (W x D x H)	340 x 245 x 35 mm
Runtime battery (1st / +2nd)	Up to 10 h / up to 17 h
Battery notes	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.
Audio features	Stereo speakers
Embedded 3G/UMTS optional	Sierra Wireless Gobi 3000
Integrated WLAN optional	Atheros Minicard b/g/n Intel® Centrino® 6205 802.11 a/b/g/n
Antennas	2 dual band antennas; 1 Bluetooth® antenna optional, 2 UMTS antennas optional
LAN	Built-in 10/100/1000 Mbit/s Intel® 82579 LM
Modem optional	Optional: 56 K V.92 modem MDC1.5
Bluetooth® optional	Bluetooth® 3.0

Modular bay options	DVD Super Multi Blu-ray Disc™ Triple Writer Weight saver 2nd battery
Special features	Advanced Theft Protection (ATP), Modular bay, Family concept (AC adapter, port replicator, modular bay)
**Country-specific Standard Warranty and Service Level ** **	2 years Collect & Return Service / Bring-in Service

Advanced Notebooks
LIFEBOOK

Fujitsu recommends Windows® 7.

Fujitsu	LIFEBOOK S751
	The Mobile Versatile Companion
Operating system*	Genuine Windows® 7 Professional 64-bit Genuine Windows® 7 Home Premium 64-bit Genuine Windows® 7 Home Basic (EM) 64-bit
Chipset	Intel® HM65 Intel® QM67
Processor type, Second level cache, Processor frequency	Intel® Core™ i7-2640M processor, 4 MB, 2.8 GHz Intel® Core™ i5-2540M processor, 3 MB, 2.6 GHz Intel® Core™ i5-2520M processor, 3 MB, 2.5 GHz Intel® Core™ i5-2430M processor, 3 MB, 2.4 GHz Intel® Core™ i3-2330M processor, 3 MB, 2.2 GHz Intel® Celeron® processor B810, 2 MB, 1.6 GHz
Memory	Up to 8 GB, 2 DIMM (DDR3) slot(s), DDR3 – 1333 MHz
Hard disk drive	SSD SATA, 128 GB, 2.5-inch SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T. SATA, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 7200 rpm, 160 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 250 GB, 2.5-inch, S.M.A.R.T. SSD SATA III, 128 GB, 2.5-inch FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
Interfaces	1 x Memory card slot (SD/MS/MSPro) 1 x ExpressCard slot (34 mm and 54 mm supported) 1 x SmartCard slot 1 x SIM card slot (usable only with 3G/UMTS) 1 x Modem (RJ-11) (optional) 3 x USB 2.0 (1 x with Anytime USB Charge functionality) 1 x USB 3.0 (optional; additonal USB 2.0 if not selected) 1 x eSATA & USB combo 1 x VGA 1 x DisplayPort 1 x Ethernet (RJ-45) 1 x DC-in 1 x Audio: line-in / microphone 1 x Audio: line-out / headphone 1 x Docking connector for Port Replicator 1 x Kensington Lock support
Display	35.6 cm (14-inch), LED backlight, (HD), Anti-glare display, compound, 1366 x 768 pixel, 300:1, 220 cd/m 35.6 cm (14-inch), LED backlight, (HD+), Anti-glare display, compound, 1600 x 900 pixel, 300:1, 220 cd/m
Graphics brand name	Intel® HD Graphics or HD Graphics 3000 (depending on CPU)
Webcam	Optional: Built-in webcam, 1.3 megapixel
Weight	2.3 kg – incl. weight saver; Weight may vary depending on actual configuration.
Dimensions (W x D x H)	340 x 245 x 35 mm
Runtime battery (1st / +2nd)	Up to 10 h / up to 17 h
Battery notes	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.
Audio features	Stereo speakers
Embedded 3G/UMTS optional	Sierra Wireless Gobi 3000
Integrated WLAN optional	Atheros Minicard b/g/n Intel® Centrino® 6205 802.11 a/b/g/n
Antennas	2 dual band antennas; 1 Bluetooth® antenna optional, 2 UMTS antennas optional
LAN	Built-in 10/100/1000 Mbit/s Intel® 82579 V Built-in 10/100/1000 Mbit/s Intel® 82579 LM
Modem optional	Optional: 56 K V.92 modem MDC1.5
Bluetooth® optional	Bluetooth® 3.0
Modular bay options	DVD Super Multi Blu-ray Disc™ Triple Writer Weight saver 2nd battery
Special features	Advanced Theft Protection (ATP), Embedded mobile broadband access (3G/UMTS), Family concept (AC adapter, port replicator, modular bay)
Country-specific Standard Warranty and Service Level ****	1 year Collect & Return Service / Bring-in Service

Advanced Notebooks
LIFEBOOK

Fujitsu	LIFEBOOK P701
	Ultra-Mobile Performance to Go
Operating system*	Genuine Windows® 7 Professional 64-bit Genuine Windows® 7 Home Premium 64-bit Genuine Windows® 7 Home Basic (EM) 64-bit
Chipset	Intel® HM65
Processor type, Second level cache, Processor frequency	Intel® Core™ i5-2520M processor, 3 MB, 2.5 GHz Intel® Core™ i3-2330M* processor, 3 MB, 2.20 GHz Intel® Celeron® processor 847 ULV, 2 MB, 1.10 GHz
Memory	Up to 8 GB, 2 DIMM (DDR3) slot(s), DDR3 - 1333 MHz
Hard disk drive	SSD SATA, 128 GB, 2.5-inch SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T. SATA, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 7200 rpm, 160 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 250 GB, 2.5-inch, S.M.A.R.T. SSD SATA III, 128 GB, 2.5-inch FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
Interfaces	1 x Memory card slot (SD) 1 x ExpressCard slot (34 mm supported) 1 x SmartCard slot 1 x SIM card slot (usable only with 3G/UMTS) 3 x USB 2.0 (1 x with Anytime USB Charge functionality) 1 x VGA 1 x DisplayPort 1 x Ethernet (RJ-45) 1 x DC-in 1 x Audio: line-in / microphone 1 x Internal microphones (digital) 1 x Audio: line-out / headphone 1 x Docking connector for Port Replicator 1 x Kensington Lock support
Display	30.7 cm (12.1-inch), LED backlight, (WXGA), Anti-glare display, 1280 x 800 pixel, 300:1, 200 cd/m
Graphics brand name	Intel® HD Graphics or HD Graphics 3000 (depending on CPU)
Webcam	Optional: Built-in webcam, 1.3 megapixel
Weight	1.56 kg – Actual weight may vary depending on configuration
Dimensions (W x D x H)	283 x 215 x 26 (front) / 33 (rear) mm
Runtime battery	Up to 10 h
Battery notes	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.
Audio features	Stereo speakers
Embedded 3G/UMTS optional	Sierra Wireless Gobi 3000
Integrated WLAN optional	Atheros Minicard b/g/n Intel® Centrino® 6205 802.11 a/b/g/n
Antennas	2 dual band WLAN antennas, 2 UMTS antennas optional, 1 Bluetooth® antenna optional
LAN	Built-in 10/100/1000 Mbit/s Intel® 82579 V
Bluetooth® optional	Bluetooth® 3.0
Special features	Advanced Theft Protection (ATP), Application buttons, Excellent mobility
**Country-specific Standard Warranty and Service Level ** **	1 year Collect & Return Service / Bring-in Service

* Processor only for retail, SMB, education and government.

All-round Notebooks
LIFEBOOK

Fujitsu recommends Windows® 7.

Fujitsu	LIFEBOOK NH751 Full HD	LIFEBOOK NH751 HD+
	Multimedia Meets Design	Multimedia Meets Design
Operating system*	Genuine Windows® 7 Professional 64-bit Genuine Windows® 7 Home Premium 64-bit	Genuine Windows® 7 Professional 64-bit Genuine Windows® 7 Home Premium 64-bit
Chipset	Intel® HM65	Intel® HM65
Processor type, Second level cache, Processor frequency	Intel® Core™ i7-2670QM processor, 6 MB, 2.2 GHz Intel® Core™ i7-2630QM processor, 6 MB, 2.0 GHz Intel® Core™ i5-2430M processor, 3 MB, 2.4 GHz Intel® Core™ i3-2330M processor, 3 MB, 2.2 GHz	Intel® Pentium® processor B950, 2 MB, 2.1 GHz Intel® Core™ i7-2670QM processor, 6 MB, 2.2 GHz Intel® Core™ i7-2630QM processor, 6 MB, 2.0 GHz Intel® Core™ i5-2430M processor, 3 MB, 2.4 GHz Intel® Core™ i3-2330M processor, 3 MB, 2.2 GHz
Memory	Up to 8 GB, 2 SO DIMM (DDR3, 1333 MHz) slot(s)	Up to 8 GB, 2 SO DIMM (DDR3, 1333 MHz) slot(s)
Hard disk drive	SATA, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 750 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 500 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 1.5 TB (2 x 750 GB), 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 1 TB (2 x 500 GB), 2.5-inch, S.M.A.R.T. SSD SATA III, 128 GB, 2.5-inch	SATA, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 750 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 500 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 1.5 TB (2 x 750 GB), 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 1 TB (2 x 500 GB), 2.5-inch, S.M.A.R.T. SSD SATA III, 128 GB, 2.5-inch
Interfaces	1 x Memory card slot (4in1 Card Reader supporting SD/SDHC/MS/MS Pro) 1 x ExpressCard slot (34 mm and 54 mm supported) 3 x USB 2.0 (incl. 1 x eSATA & USB combo and 1 x Anytime USB Charge functionality) 1 x USB 3.0 1 x VGA 1 x HDMI 1 x Ethernet (RJ-45) 1 x DC-in 1 x Audio: line-in / microphone 1 x Internal microphones (digital) 1 x Kensington Lock support	1 x Memory card slot (4in1 Card Reader supporting SD/SDHC/MS/MS Pro) 1 x ExpressCard slot (34 mm and 54 mm supported) 4 x USB 2.0 (incl. 1 x eSATA & USB combo and 1 x Anytime USB Charge functionality) 1 x VGA 1 x HDMI 1 x Ethernet (RJ-45) 1 x DC-in 1 x Audio: line-in / microphone 1 x Internal microphones (digital) 1 x Kensington Lock support
Display	43.9 cm (17.3-inch), LED backlight, (Full HD), Glossy, 1920 x 1080 pixel	43.9 cm (17.3-inch), LED backlight, (HD+), Glossy, 1600 x 900 pixel
Graphics brand name	NVIDIA® GeForce® GT 525M with NVIDIA® Optimus™ technology	NVIDIA® GeForce® GT 525M with NVIDIA® Optimus™ technology
Dedicated video memory	2 GB (DDR3 VRAM)	1 GB (DDR3 VRAM)
Webcam	Built-in webcam, 1.3 megapixel	Built-in webcam, 1.3 megapixel
Weight	Approx. 3.6 kg – Weight may vary depending on actual configuration (including battery pack)	Approx. 3.6 kg – Weight may vary depending on actual configuration (including battery pack)
Dimensions (W x D x H)	410 x 270 x 32.6 (front) / 37.15 (back) mm	410 x 270 x 32.6 (front) / 37.15 (back) mm
Runtime battery	Up to 6.5 h	Up to 6.5 h
Battery notes	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.
Audio features	Support of high-definition audio, DTS surround sound, 5 x built-in speakers, Built-in digital microphone, Sound volume control via function key	Support of high-definition audio, DTS surround sound, 5 x built-in speakers, Built-in digital microphone, Sound volume control via function key
Integrated WLAN optional	Intel® Centrino® 6205 802.11 a/b/g/n Atheros Minicard 802.11 b/g/n	Intel® Centrino® 6205 802.11 a/b/g/n Atheros Minicard 802.11 b/g/n
LAN	10/100/1000 Mbit/s	10/100/1000 Mbit/s
Fixed optical drive options	DVD Super Multi; Blu-ray Disc™ Combo Drive; Blu-ray Disc™ Triple Writer	DVD Super Multi; Blu-ray Disc™ Combo Drive; Blu-ray Disc™ Triple Writer
Special features	Perfect for multimedia and entertainment, Dedicated NVIDIA® GeForce® graphics card with NVIDIA® Optimus™ technology, High-definition DTS surround sound with integrated subwoofer, Blu-ray Disc™ drive option, Intel® Wireless Display technology option	Perfect for multimedia and entertainment, Dedicated NVIDIA® GeForce® graphics card with NVIDIA® Optimus™ technology, High-definition DTS surround sound with integrated subwoofer, Blu-ray Disc™ drive option, Intel® Wireless Display technology option
Country-specific Standard Warranty and Service Level **	1 year / 2 years Collect & Return Service	1 year / 2 years Collect & Return Service

All-round Notebooks
LIFEBOOK

Fujitsu	LIFEBOOK AH531/GF0
	Enjoy Unlimited Graphic Performance
Operating system*	Genuine Windows® 7 Professional 64-bit Genuine Windows® 7 Home Premium 64-bit Genuine Windows® 7 Home Basic (EM) 64-bit
Chipset	Intel® HM65
Processor type, Second level cache, Processor frequency	Intel® Pentium® processor B950, 2 MB, 2.1 GHz Intel® Core™ i7-2640M processor, 4 MB, 2.8 GHz Intel® Core™ i5-2430M processor, 3 MB, 2.4 GHz Intel® Core™ i3-2330M processor, 3 MB, 2.2 GHz Intel® Celeron® processor B810, 2 MB, 1.6 GHz
Memory	Up to 8 GB, 2 SO DIMM (DDR3, 1333 MHz) slot(s)
Hard disk drive	SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T. SATA, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 750 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 500 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. (XP optimized) SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 250 GB, 2.5-inch, S.M.A.R.T.
Interfaces	1 x Memory card slot (4in1 Card Reader supporting SD/SDHC/MS/MS Pro) 1 x ExpressCard slot (34 mm and 54 mm supported) 3 x USB 2.0 (incl. 1 x Anytime USB Charge functionality) 1 x VGA 1 x HDMI 1 x Ethernet (RJ-45) 1 x DC-in 1 x Audio: line-in / microphone 1 x Audio: line-out / headphone 1 x Kensington Lock support
Display	39.6 cm (15.6-inch), TFT, (HD), LED backlight, glossy, 1366 x 768 pixel, 500:1 (min), 220 cd
Graphics brand name	NVIDIA® GeForce® GT 525M with NVIDIA® Optimus™ technology
Dedicated video memory	1 GB (DDR3 VRAM)
Webcam	Built-in webcam, 1.3 megapixel
Weight	2.5 kg – Weight may vary depending on actual configuration (including battery pack)
Dimensions (W x D x H)	378 x 252 x 36.5 mm
Runtime battery	Up to 6 h 40 min
Battery notes	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.
Audio features	Support of high-definition audio, 2 x built-in speakers (stereo), Built-in digital microphone, Sound volume control via function key (down: Fn+F8; up: Fn+F9)
LAN	10/100/1000 Mbit/s Realtek RTL 8111E
Integrated WLAN	Intel® Centrino® Wireless N1030 (IEEE 802.11b/g/n)
Fixed optical drive options	DVD Super Multi Blu-ray Disc™ Combo Drive Blu-ray Disc™ Triple Writer
Special features	Different color options (glossy black, glossy night-blue), Dedicated NVIDIA® GeForce® graphics card with NVIDIA® Optimus™ technology, Blu-ray Disc™ drive option, Anytime USB Charge function, Intel® Wireless Display technology, Spill-resistant keyboard with full num pad
**Country-specific Standard Warranty and Service Level ** **	1 year / 2 years Collect & Return Service

All-round Notebooks
LIFEBOOK

Fujitsu	LIFEBOOK AH531	LIFEBOOK A531
	Your Essential Partner	Your Essential Partner
Operating system*	Genuine Windows® 7 Professional 64-bit Genuine Windows® 7 Home Premium 64-bit Genuine Windows® 7 Home Basic (EM) 64-bit Genuine Windows® 7 Starter (EM) 32-bit	Genuine Windows® 7 Professional 64-bit Genuine Windows® 7 Home Premium 64-bit Genuine Windows® 7 Home Basic (EM) 64-bit Genuine Windows® 7 Starter (EM) 32-bit
Chipset	Intel® HM65	Intel® HM65
Processor type, Second level cache, Processor frequency	Intel® Pentium® processor B950, 2 MB, 2.1 GHz Intel® Core™ i7-2620M processor, 4 MB, 2.7 GHz Intel® Core™ i5-2410M processor, 3 MB, 2.3 GHz Intel® Core™ i3-2310M processor, 3 MB, 2.1 GHz Intel® Celeron® processor B810, 2 MB, 1.6 GHz	Intel® Pentium® processor B950, 2 MB, 2.1 GHz Intel® Core™ i7-2620M processor, 4 MB, 2.7 GHz Intel® Core™ i5-2430M processor, 3 MB, 2.4 GHz Intel® Core™ i3-2330M processor, 3 MB, 2.2 GHz Intel® Celeron® processor B810, 2 MB, 1.6 GHz
Memory	Up to 8 GB, 2 SO DIMM (DDR3, 1333 MHz) slot(s)	Up to 8 GB, 2 SO DIMM (DDR3, 1333 MHz) slot(s)
Hard disk drive	SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T. SATA, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 750 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 500 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. (Windows® XP optimized) SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 250 GB, 2.5-inch, S.M.A.R.T.	SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T. SATA, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 750 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 500 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. (Windows® XP optimized) SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 250 GB, 2.5-inch, S.M.A.R.T.
Interfaces	1 x Memory card slot (4in1 Card Reader supporting SD/SDHC/MS/MS Pro); 1 x ExpressCard slot (34 mm and 54 mm supported); 3 x USB 2.0 (incl. 1 x Anytime USB Charge functionality); 1 x VGA; 1 x HDMI; 1 x Ethernet (RJ-45); 1 x DC-in; 1 x Audio: line-in / microphone; 1 x Audio: line-out / headphone; 1 x Kensington Lock support	1 x Memory card slot (4in1 Card Reader supporting SD/SDHC/MS/MS Pro); 1 x ExpressCard slot (34 mm and 54 mm supported); 3 x USB 2.0 (incl. 1 x Anytime USB Charge functionality); 1 x VGA; 1 x HDMI; 1 x Ethernet (RJ-45); 1 x DC-in; 1 x Audio: line-in / microphone; 1 x Audio: line-out / headphone; 1 x Kensington Lock support
Display	39.6 cm (15.6-inch), TFT, (HD), LED backlight, anti-glare, 1366 x 768 pixel, 400:1 (min), 220 cd 39.6 cm (15.6-inch), TFT, (HD), LED backlight, glossy, 1366 x 768 pixel, 500:1 (min), 220 cd	39.6 cm (15.6-inch), TFT, (HD), LED backlight, anti-glare, 1366 x 768 pixel, 400:1 (min), 220 cd
Graphics brand name	Intel® HD Graphics or HD Graphics 3000 (depending on CPU)	Intel® HD Graphics or HD Graphics 3000 (depending on CPU)
Webcam	Built-in webcam, 1.3 megapixel	Built-in webcam, 1.3 megapixel
Weight	2.5 kg – Weight may vary depending on actual configuration (including battery pack)	2.5 kg – Weight may vary depending on actual configuration (including battery pack)
Dimensions (W x D x H)	378 x 252 x 36.5 mm	378 x 252 x 36.5 mm
Runtime battery	Up to 7 h 20 min	Up to 7 h 20 min
Battery notes	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.
Audio features	Support of high-definition audio, 2 x built-in speakers (stereo), Built-in digital microphone, Sound volume control via function key (down: Fn+F8; up: Fn+F9)	Support of high-definition audio, 2 x built-in speakers (stereo), Built-in digital microphone, Sound volume control via function key (down: Fn+F8; up: Fn+F9)
Embedded 3G/UMTS optional	Sierra Wireless Gobi 3000	Sierra Wireless Gobi 3000
LAN	10/100/1000 Mbit/s Realtek RTL 8111E	10/100/1000 Mbit/s Realtek RTL 8111E
Integrated WLAN	Intel® Centrino® Wireless N1030 (IEEE 802.11b/g/n)	Intel® Centrino® Wireless N1030 (IEEE 802.11b/g/n)
Fixed optical drive options	DVD Super Multi	DVD Super Multi
Special features	Different color options, Embedded mobile broadband access (3G/UMTS), Anytime USB Charge function, Intel® Wireless Display technology, Spill-resistant keyboard with full num pad	Embedded mobile broadband access (3G/UMTS), Outdoor-friendly anti-glare display, Anytime USB Charge function, Intel® Wireless Display technology, Spill-resistant keyboard with full num pad
**Country-specific Standard Warranty and Service Level ** **	1 year / 2 years Collect & Return Service	1 year Collect & Return Service / Bring-in Service

All-round Notebooks
LIFEBOOK

Fujitsu recommends Windows® 7.

Fujitsu	LIFEBOOK AH530	LIFEBOOK A530
	Your Essential Partner	Your Essential Partner
Operating system*	Genuine Windows® 7 Professional Genuine Windows® 7 Home Premium Genuine Windows® 7 Home Basic Genuine Windows® 7 Starter (EM) 32-bit	Genuine Windows® 7 Professional Genuine Windows® 7 Home Premium Genuine Windows® 7 Home Basic Genuine Windows® 7 Starter (EM) 32-bit
Chipset	Intel® HM55	Intel® HM55
Processor type, Second level cache, Processor frequency	Intel® Pentium® processor P6200, 3 MB, 2.13 GHz Intel® Core™ i3-380M processor, 3 MB, 2.53 GHz Intel® Core™ i3-370M processor, 3 MB, 2.40 GHz	Intel® Pentium® processor P6200, 3 MB, 2.13 GHz Intel® Core™ i3-380M processor, 3 MB, 2.53 GHz Intel® Core™ i3-370M processor, 3 MB, 2.40 GHz
Memory	Up to 8 GB, 2 SO DIMM (DDR3, 1066 MHz) slot(s)	Up to 8 GB, 2 SO DIMM (DDR3, 1066 MHz) slot(s)
Hard disk drive	SATA, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 640 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 500 GB, 2.5-inch SATA, 5400 rpm, 320 GB, 2.5-inch SATA, 5400 rpm, 250 GB, 2.5-inch SATA, 5400 rpm, 160 GB, 2.5-inch	SATA, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 500 GB, 2.5-inch SATA, 5400 rpm, 320 GB, 2.5-inch SATA, 5400 rpm, 250 GB, 2.5-inch SATA, 5400 rpm, 160 GB, 2.5-inch
Interfaces	1 x Memory card slot (4in1 Card Reader supporting SD/SDHC/MS/MS Pro) 1 x ExpressCard slot (34 mm and 54 mm supported) 3 x USB 2.0 1 x VGA 1 x HDMI 1 x Ethernet (RJ-45) 1 x DC-in 1 x Audio: line-in / microphone 1 x Internal microphones 1 x Audio: line-out / headphone 2 x Kensington Lock support	1 x Memory card slot (4in1 Card Reader supporting SD/SDHC/MS/MS Pro) 1 x ExpressCard slot (34 mm and 54 mm supported) 3 x USB 2.0 1 x VGA 1 x HDMI 1 x Ethernet (RJ-45) 1 x DC-in 1 x Audio: line-in / microphone 1 x Internal microphones 1 x Audio: line-out / headphone 2 x Kensington Lock support
Display	39.6 cm (15.6-inch), TFT, (HD), LED backlight, glossy, 1366 x 768 pixel, 500:1, 220 cd/m	39.6 cm (15.6-inch), TFT, (HD), LED backlight, anti-glare, 1366 x 768 pixel, 400:1, 220 cd
Graphics brand name	Intel® HD Graphics	Intel® HD Graphics
Webcam	Built-in webcam, 1.3 megapixel	Built-in webcam, 1.3 megapixel
Weight	Approx. 2.5 kg – Weight may vary depending on actual configuration (including battery pack)	Approx. 2.5 kg – Weight may vary depending on actual configuration (including battery pack)
Dimensions (W x D x H)	378 x 252 x 35.7 - 38.4 mm	378 x 252 x 35.7 - 38.4 mm
Runtime battery	Up to 6 h	Up to 6 h
Battery notes	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.
Audio features	Support of high-definition audio, 2 x built-in speakers (stereo), Built-in digital microphone, Sound volume control via function key (down: Fn+F8; up: Fn+F9)	Support of high-definition audio, 2 x built-in speakers (stereo), Built-in digital microphone, Sound volume control via function key (down: Fn+F8; up: Fn+F9)
Embedded 3G/UMTS optional	-	Sierra Wireless Gobi 3000 Sierra Wireless Gobi 2000
LAN	10/100/1000 Mbit/s	10/100/1000 Mbit/s
Integrated WLAN	IEEE 802.11b/g/n	IEEE 802.11b/g/n
Fixed optical drive options	DVD Super Multi	DVD Super Multi
Special features	Spill-resistant keyboard with full num pad	Embedded mobile broadband access (3G/UMTS), Outdoor-friendly anti-glare display, Spill-resistant keyboard with full num pad
Country-specific Standard Warranty and Service Level **	1 year / 2 years Collect & Return Service	1 year Collect & Return Service / Bring-in Service

All-round Notebooks
LIFEBOOK

Fujitsu	LIFEBOOK LH531	LIFEBOOK SH531
	Performance in Style	Your Everyday Compact Companion
Operating system*	Genuine Windows® 7 Professional 64-bit Genuine Windows® 7 Home Premium 64-bit Genuine Windows® 7 Home Basic (EM) 64-bit	Genuine Windows® 7 Professional 64-bit Genuine Windows® 7 Home Premium 64-bit Genuine Windows® 7 Home Basic (EM) 64-bit
Chipset	Intel® HM65	Intel® HM65
Processor type, Second level cache, Processor frequency	Intel® Pentium® processor B950, 2 MB, 2.1 GHz Intel® Core™ i5-2430M processor, 3 MB, 2.4 GHz Intel® Core™ i3-2330M processor, 3 MB, 2.2 GHz	Intel® Pentium® processor B950, 2 MB, 2.1 GHz Intel® Core™ i5-2430M processor, 3 MB, 2.4 GHz Intel® Core™ i3-2330M processor, 3 MB, 2.2 GHz
Memory	Up to 8 GB, 2 SO DIMM (DDR3, 1333 MHz) slot(s)	Up to 8 GB, 2 SO DIMM (DDR3, 1333 MHz) slot(s)
Hard disk drive	SATA, 5400 rpm, 750 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 500 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.	SATA, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 500 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
Interfaces	1 x Memory card slot (4in1 Card Reader supporting SD/SDHC/MS/MS Pro) 4 x USB 2.0 (incl. 1 x Anytime USB charge functionality) 1 x VGA 1 x HDMI 1 x Ethernet (RJ-45) 1 x DC-in 1 x Audio: line-in / microphone 1 x Internal microphones 1 x Audio: line-out / headphone 1 x Kensington Lock support	1 x Memory card slot (4in1 Card Reader supporting SD/SDHC/MS/MS Pro) 1 x ExpressCard slot (34 mm supported) 3 x USB 2.0 (incl. 1 x eSATA & USB combo) 1 x VGA 1 x HDMI 1 x Ethernet (RJ-45) 1 x DC-in 1 x Audio: line-in / microphone 1 x Internal microphones 1 x Audio: line-out / headphone 1 x Kensington Lock support
Display	35.6 cm (14-inch), LED backlight, (HD), Anti-glare display, 1366 x 768 pixel, 600:1, 220 cd	33.8 cm (13.3-inch), LED backlight, (HD), Anti-glare display, 1366 x 768 pixel, 600:1, 220 cd
Graphics brand name	Intel® HD Graphics	Intel® HD Graphics
Webcam	Built-in webcam, 1.3 megapixel	Built-in webcam, 1.3 megapixel
Weight	Approx. 2.2 kg – Weight may vary depending on actual configuration (including battery pack)	Approx. 1.9 kg – Weight may vary depending on actual configuration (including battery pack)
Dimensions (W x D x H)	335 x 240 x 35.4 mm	323 x 234 x 32.3 mm
Runtime battery	Up to 6 h	Up to 6.5 h
Battery notes	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.
Audio features	Support of high-definition audio, 2 x built-in speakers (stereo), Built-in digital microphone	Support of high-definition audio, 2 x built-in speakers (stereo), Built-in digital microphone
LAN	10/100/1000 Mbit/s	Built-in 10/100/1000 Mbit/s
Integrated WLAN	Intel® Centrino® 6205 802.11 a/b/g/n	Intel® Centrino® 6205 802.11 a/b/g/n
Fixed optical drive options	DVD Super Multi Blu-ray Disc™ Combo Drive	DVD Super Multi Blu-ray Disc™ Combo Drive
Special features	Outdoor-friendly anti-glare display, Blu-ray Disc™ drive option, Anytime USB Charge function, Intel® Wireless Display technology, Spill-resistant keyboard	Outdoor-friendly anti-glare display, Blu-ray Disc™ drive option, Intel® Wireless Display technology, Spill-resistant keyboard
Country-specific Standard Warranty and Service Level **	1 year / 2 years Collect & Return Service	1 year / 2 years Collect & Return Service

Fujitsu Mobile Devices
Port Replicators

Flexibility, expandability, desktop replacement – to name just a few benefits of Fujitsu's docking options. Our port replicators are the perfect docking solutions for Fujitsu LIFEBOOK notebooks and CELSIUS mobile workstations. In the office or at home it takes just a second to attach your notebook to the port replicator and get connected to your external devices.

Port Replicators

Fujitsu	Port Replicator for LIFEBOOK T901	Port Replicator for SYLISTIC Q550	Port Replicator for LIFEBOOK T731	Port Replicator for Celsius H710 LIFEBOOK E781/E751 LIFEBOOK S781/S751	Port Replicator for Celsius H910
Order code Port replicator only	S26391-F887-L100	S26391-F917-L100	S26391-F927-L100	S26391-F987-L100	S26391-F897-L100
Power switch	1 x	-	1 x	1 x	1 x
Power LED	-	-	-	1 x	1 x
DC-in	1 x (19 V)	1	1 x (19 V)	1 x (19 V)	1 x (19 V)
0-watt compatibility	Yes	-	-	-	-
PS/2	-	-	-	-	-
Serial	-	-	-	1 x	1 x
Parallel	-	-	-	1 x	-
USB 2.0	4 x USB 2.0	4 x USB 2.0	4 x USB 2.0	4 x USB 2.0	4 x USB 2.0
E-SATA	-	-	-	1 x	1 x
VGA	1 x	-	1 x	1 x	1 x
HDMI	1 x	-	-	-	-
DisplayPort	1 x	-	-	1 x	1 x
DVI	1 x	-	1 x	1 x (Dual link)	1 x (Dual link)
LAN	10/100/1000 LAN	-	10/100/1000 LAN	10/100/1000 LAN	10/100/1000 LAN
Audio	Headphone	-	Headphone	Headphone and microphone	Headphone and microphone
FireWire	-	-	-	-	-
Optical disk drive	-	-	-	-	-
1 hand release mechanism	x	-	x	x	-
Kensington lock (PR and notebook)	x	-	x	x	-
Kensington lock (PR only)	x	-	x	x	x
Weight	0.43 kg	0.3 kg	0.45 kg	0.56 kg	0.62 kg
Dimensions (H x W x D)	37 x 338 x 104 mm	118 x 140 x 125 mm	40 x 338 x 104 mm	40 x 385 x 118 mm	34 x 470 x 120 mm
Country-specific Standard Warranty and Service Level **	1 year Bring-in service	1 year Bring-in service	1 year Bring-in service	1 year Bring-in service	1 year Bring-in service

Port Replicators

Fujitsu	Port Replicator for LIFEBOOK S761	Port Replicator for Lifebook P771/P701	USB Port replicator with VGA
Order code Port replicator only	S26391-F655-L300	S26391-F977-L100	S26391-F6007-L300
Power switch	1 x	1 x	-
Power LED	-	-	1 x
DC-in	1 x (19 V)	1 x (19 V)	1 x (5 V)
0-watt compatibility	-	Yes	-
PS/2	-	-	-
Serial	1 x	-	-
Parallel	1 x	-	-
USB 2.0	4 x USB 2.0	4 x USB 2.0	4 x USB 2.0, 1 x USB for port replicator connection
E-SATA	1 x	1 x	-
VGA	1 x	1 x	Via included adapter
HDMI	-	-	-
DisplayPort	-	1 x [1)]	-
DVI	1 x	1 x [1)]	1 x
LAN	10/100/1000 LAN	10/100/1000 LAN	10/100 LAN
Audio	Heandphone	-	Headphone and microphone
FireWire	-	-	-
Optical disk drive	-	-	-
1 hand release mechanism	x	x	-
Kensington lock (PR and notebook)	x	-	-
Kensington lock (PR only)	-	x	x
Weight	0.5 kg	0.34 kg	0.2 kg
Dimensions (H x W x D)	38 x 370 x 114 mm	33 x 305 x 120 mm	166 x 110 x 86 mm
Country-specific Standard Warranty and Service Level **	1 year Bring-in service	1 year Bring-in service	1 year Bring-in service

[1)] Please note either DisplayPort or DVI work. In case where both are connected, DisplayPort has higher priority.

* Windows® XP Downgrade

Use of Microsoft® Windows® XP
End of October 2010 Microsoft stopped the shipment of OEM Downgrade Media for Microsoft® Windows® XP **together** with a system.

Use of Microsoft® Windows® XP Mode in combination with Windows® 7
Windows® 7 offers the possibility to run applications in Microsoft® Windows® XP Mode. This software can be downloaded from the Microsoft webpage free of charge:
microsoft.com/windows/virtual-pc/download.aspx
Following Microsoft products offer the possibility to run the Microsoft® Windows® XP Mode:
- Windows® 7 Professional
- Windows® 7 Enterprise
- Windows® 7 Ultimate

Pre-installation of Microsoft® Windows® XP via Fujitsu project support (Customizing Service)
Fujitsu offers a special support to ship systems with Microsoft® Windows® XP pre-installed at extra costs for customers with at least 25 ordered systems annually.
Microsoft® Windows® XP for Fujitsu client systems licensed with one of the following Fujitsu Windows OEM operating systems:
- Windows® 7 Professional
- Windows® 7 Ultimate

To get further information please visit:
ts.fujitsu.com/products/made4you/
Recovery Media for Microsoft® Windows® XP are not shipped.

** Fujitsu Services

For today's business leaders and IT executives the question is not only what needs to be done, but how to do it quickly and effectively while still optimizing overall IT spending.

This is where Fujitsu can really help. We can provide you with a complete range of infrastructure services that allow you to deliver on this promise while reducing overall costs, improving ROI and still delivering outstanding service quality for your users.

Warranty comes standard with our products; it starts from the time of sale and is valid for a defined period of time. Minimum standard warranty is 12 months. The period and service level vary depending on product type and local regulations. Our ServicePack / Contract Hardware as part of Fujitsu's Maintenance and Support Services offering is the perfect extension on top of the standard warranty with various options of duration and of response or recovery time to fit customer needs and a flexible payment concept either up-front or on a regular basis.

For more information regarding Managed Services, Integration Services, Maintenance and Support Services or Financial Services please visit
ts.fujitsu.com/services

Expertise you can count on, wherever and whenever you need it.

In a country that is not the country of purchase, the warranty can only be claimed to the extent that the service concerned is available in the respective country. Please note that availability of all services cannot be guaranteed in all countries. The warranty agreed at the time of purchase may differ from the standard warranty stated here. In addition, as the customer you may have a right to legal claims not restricted by these warranty conditions.

Published by
Fujitsu Technology Solutions

Mies-van-der-Rohe-Strasse 8,
80807 Munich, Germany
Copyright: © Fujitsu Technology Solutions 11/2011
Printed in Germany
Realization: www.chromedia.de (CM14663)
Order-No.: 10808-2-0911-EN
Contact: ts.fujitsu.com/contact

The latest technical data can be found on the Fujitsu Technology Solutions websites and in the corresponding data sheets. All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. Product pictures may vary from the original product.

ts.fujitsu.com